P

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

re Application of:

Lorraine E. Reeve, et al.

Application No:

09/928,560

August 13, 2001

For:

Process For The Fractionation of

Polymers

Art Unit: 1723

Examiner: Therkorn, Ernest

Atty Docket: PMX-003.01

CERTIFICATE OF FIRST CLASS MAILING

I hereby certify that the foregoing documents are being deposited with the United States Postal Service as First Class Mail, postage prepaid, in an envelope addressed to Mail Stop Issue Fee, Commissioner for Patents, P.O. Box 1450, Alexandria VA 23313-1450, on this date of May 6, 2004.

Steve Pereira

SUBMISSION OF FORMAL DRAWINGS

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 23313-1450

Attn: Official Draftsperson

Sir:

Applicant hereby submits for the above-referenced application four (4) sheets of formal drawings, corresponding to Fig. 1, Fig. 2a, Fig. 3a and Fig. 4a; a copy of the Notice Regarding Drawings; as well as a copy of the Notice Of Draftperson's Patent Drawing Review.

Should there be any questions after reviewing this paper, the Examiner is invited to contact the undersigned at 617-832-1000.

Date: May 6, 2004

Customer No: 25181

Patent Group
Foley Hoag LLP
155 Seaport Blvd.

Boston, MA 02210-2600

Respectfully Submitted,

Dana M. Gordon, Ph.D.

Reg. No. 44,719





UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NUMBER 09/928560

FILING/RECEIPT DATE 08/13/2001

FIRST NAMES APPLICANT
REEVE, LORRAINE
E.

Art Unit

1723

ATTORNEY DOCKET NUMBER MBHB00-669-A

Examiner

THERKORN, ERNEST

MCDONNELL BOEHNEN HULBERT & BERGHOFF

LLP

300 S. WACKER DRIVE

32ND FLOOR CHICAGO IL 60606 DOCKETED DOCKETED

DUE: 5-86-04 - Final

Date Mailed: 3-26-04

Notice Regarding Drawings

Corrected drawings for the above-identified application, received in the USPTO on 3-22-02 are still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLEUNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

RETURN CORRECTED DRAWINGS TO:

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Steven Fields Office of Patent Publication Publishing Division (703) 305-8335 DOCKETED

MAR 3 0 2004

DUE DATE: PPK

MAY 1 0 2004
Form P.DO-948 (Rev. 06/83)/ 928 56 0

U.S. DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) EXMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Equality). Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriente	DRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings: Black ink or Color (3 sets required). Color drawings are not acceptable until petition is	8. ARRANGEMENT OF VIEWS. 37 CFR 1.84(i) Words do not appear on a horizontal, left-to-right fashion when page is either upright or turned so that the top becomes the right side, except for
37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Right (R) Right (R) ReMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) 10. CHARACTER OF LINES, NUMBERS, & LETTERS, & LETTERS, & LETTERS, and black (poor line quality). Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) 13. LEAD LINES. 37 CFR 1.84(p) Solid black areas pale. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s) Solid black surface shading in the promitted. Fig(s) Solid black areas pale. Fig(s) 15. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Solid black surface shading in the promitted exceptable margins. The promitted	Pencil and non black ink not permitted. Fig(s) 2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e)	9. SCALE. 37 CFR 1.84(k) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction.
Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) REMINDER: Specification may require revision to correspond to drawing charges, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Mental defined, clean, durable, and black (poor ling quality). Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) La NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(t) Solid black sareas pale. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Solid black strading in ont permitted. Fig(s) 13. LEAD LINES. 37 CFR 1.84(p) Lead lines missing. Fig(s) 14. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.52 Surface shading shown not appropriate. Fig(s) Solid black surfa	37 CFR 1.84(f). Fig(s)Poor quality (half-tone). Fig(s)	10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(1)
folds, copy machine marks not accepted. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Left (Born by 29.7 cm (DIN size A4) or 12.6 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (Bin 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Sheet(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black stracters not plain and legible. Fig(s) Solid black stracters. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig	Paper not flexible, strong, white, and durable. Fig(s)	well defined, clean, durable, and black (poor line quality). Fig(s)
Sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excewhen used to represent the color black as well as color contrast. Fig(s)	folds, copy machine marks not accepted. Fig(s)	Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s)
All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm. Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 1.84(p)(3). Fig(s) 1.84(p)(3). Fig(s) 1.84(p)(2) Fig(s) 1.84(p)(3). Fig(s)	sizes: 21.0 cm by 29.7 cm (DIN size A4) or	CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and
Margins not acceptable. Fig(s) Top (T)Left (L) Right (R)Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excewhen used to represent the color black as well as color contrast. Fig(s)	Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins:	Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(Fig(s)
REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B)	Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR
must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is	13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS.
7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	must likewise be changed. Views not labeled separately or properly.	Sheets not numbered consecutively, and in Arabi numbers beginning with number 1. Sheet(s)
Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with	Views not numbered consecutively, and in Arabi numerals, beginning with number 1. Fig(s)
when used to represent the color black as well as color contrast. Fig(s)	Arabic or Roman numbers. Fig(s)	Surface shading shown not appropriate. Fig(s)
	OMMENTS:	when used to represent the color black as well as
	·	
wer Date	have questions, call (703) 305-8404.	Attachment to Paper No.